




Hardware F-Z >> Racks
Underground Cable

Features:

- Underground cable racks and hooks are used for supporting cable runs in manholes and vaults.
- The J5120 series are made from 3/16 x 9/16 x 1-1/2" hot rolled channel with T-slots for attaching hooks spaced at 1-1/2" intervals. 8, 14, and 18-hole racks have 3/4 x 19/32" mounting slots at each end which interlock so that two racks may be combined as one unit.
- The longer racks are mounted through the T-slots.
- Cable hooks are formed to protect cable from damage.
- Hooks fit snugly into the rack slots and have turned up ends to help prevent the cable or cable rack insulator from slipping off.

Material:

- Steel; Hot Dip Galvanized



Cable Racks				
Catalog Number	Overall Length (Inches)	Mtg Hole	No. of Holes	Weight/100 (lbs)
J5124	15	13-1/2	8	150
J5125	24	22-1/2	14	230
J5126	30	28-1/2	18	290

Cable Hooks		
Catalog Number	Extension from Face or Back	Weight/100 (lbs)
J5132A	7-1/2	90
J5133A	10	120
J5134A	14	240

J5135A	18	292
--------	----	-----



FIGURE 1



FIGURE 2



FIGURE 3

STRAIGHT BACK						
Catalog Number	Fig.	Item Description	Dimensions Length	Dimensions Mtg. Hole Spacing	Number of Slots	Weight/100 (lbs)
U600-4650WD	1	2 1/4" slot spacing	46 1/2	44 1/4	18	1250
U600-60WD	1	2 1/4" slot spacing	60	57 3/4	24	1625

Notes:

STRAIGHT / EXTENDED BACK						
Catalog Number	Fig.	Item Description	Dimensions Length	Dimensions Mtg. Hole Spacing	Number of Slots	Weight/100 (lbs)
U600-2600WD	2	1 1/2" slot spacing	26	22 3/4	9	790
U600-3650WD	2	2 1/4" slot spacing	36 1/2	34 1/2	10	895
U600-5300WD	2	2 1/4" slot spacing	53	50 3/4	18	1300

Notes:

BOTTOM / OFFSET BACK						

Catalog Number	Fig.	Item Description	Dimensions Length	Dimensions Mtg. Hole Spacing	Number of Slots	Weight/100 (lbs)
U6T032W	3	2 1/4" slot spacing	14	11 3/4	3	348
U6T091W	3	1 1/2" slot spacing	21 1/2	19 1/4	9	564
U600-2975WD	3	2 1/4" slot spacing	29 3/4	27 1/2	10	725
U6T112W	3	2 1/4" slot spacing	32	29 3/4	11	780

Notes:

www.maclepower.com

maclepower.com

